

COVID-19

offer for Hanza Health Materials

#PRZEJDZIEMYPRZEZTORAZEM



**CENTRALA HANDLOWA
WARSZAWA**
ul. Annopol 3
03-236 Warszawa
+48 22 814 50 01, 03, 33, 34
sico@sico.pl

ODDZIAŁ KRAKÓW
Al. Jana Pawła II 178
31-952 Kraków
+48 12 644 77 70
krakow@sico.pl

ODDZIAŁ GDAŃSK
ul. Kaprów 4B
80-316 Gdańsk - Oliwa
+48 58 556 70 20
gdansk@sico.pl

ODDZIAŁ ŁÓDŹ
ul. Wojska Polskiego 190
91-726 Łódź
+48 42 656 14 03
lodz@sico.pl

ODDZIAŁ BYDGOSZCZ
ul. Warmińskiego 23
85 – 054 Bydgoszcz
+48 52 321 98 00
bydgoszcz@sico.pl

ODDZIAŁ POZNAŃ
ul. Szkółkarska 25
62-002 Suchy Las
+48 61 852 52 45
poznan@sico.pl

PRODUCT	EXAMPLE USE	COMPOSITION	WEIGHT (g/m2)	WIDTH (cm)	LENGHT (m)	MAIN FEATURES	CERTIFICATES	PRICE
S-08136	Protective mask/suits Hi-vis clothing/warning	100% polyester	125	155 WHITE- 235	100 WHITE-500	YELLOW (Kids & Fashion) ORANGE (Kids & Fashion) BLACK (Elegant) WHITE (Natural- for personalized design)	OEKO-TEX	1,50 €/m2
N-02718*	PREMIUM protective mask/ Coolmax airflow 3D pacers	100% polyester	330	155/185/215	100	Fabric with silver ions- bacteriostatic properties (COOLMAX technology)	OEKO-TEX	16,20 €/m2
F-00990*	Extra strenght patient movement	100% PA66	140	160	100	Available colors: Ivory, yellow, green, purple, orange, hot pink and black	x	8,10 €/m2
MA 140	Protective mask	100% polyester	140	150	100	Non-woven fabric with anti-drop washable treatment; water repellency property	x	1,35 €/m2
PET-A CLEAR/M	Protective shield mask/ band for grocery stores	100% PET	0,3 mm 0,5mm	roll 25-100cm	x	high quality foil, low haze factor 1-1.5% and reduced shape memory; food contact certificates	x	1,65 €/kg
PET-A CLEAR/E	Protective shield mask	100% PET	0,5mm	roll 200-1400cm	x	virgin material, clear	x	1,90 €/kg
PET-A CLEAR/H	Protective shield mask	100% PET	0,5 mm	roll 100,4cm	x	virgin material, clear	x	1,95 €/kg
PET-G/H*	Protective shield mask	100% PET	0,15-1,2mm	roll 100cm/140cm	x	material dimensions produced due to the customer's needs	x	2,70 €/kg

ARTICLE: S-08136-J72

FIBER: 100% polyester

RECOMMENDED USES:

- Protective mask
- Protective suits
- Hi-vis clothing
- HI-vis warning

AVAILABLE COLORS:

- YELLOW (Kids & Fashion)
- ORANGE (Kids & Fashion)
 - BLACK (Elegant)
 - BLUE (Trendy)
- WHITE (Natural- for personalized design)

CERTIFICATES: OEKO-TEX Class II



ARTICLE: N-02718-A01

FIBER: 100% poliester

RECOMMENDED USES:

- PREMIUM protective mask
- Coolmax airflow 3D pacers

PROPERTIES:

- fabric with an antibacterial coating with silver ions
- COOLMAX technology - actively inhibiting bacterial growth
 - used in the production of baby mattresses

CERTYFICATES: OEKO-TEX Class II



ARTICLE: F-00990

FIBER: 100% poliester

RECOMMENDED USES:

- Extra strenght patient movement

AVALIABLE COLORS:

- Ivory
- yellow
- green
- purple
- orange
- hot pink
- black



ARTICLE: MA 140


MATERIAŁ: 100% polyester

RECOMMENDED USES:

- Production protective mask

PROPERTIES:

- Non-woven material
- ANTI DROP coating - prevents the absorption of water droplets
 - Water repellency test (DuPont method) grade 6
- Washable till 5 times, with very mild process at a temperature max 30°C; needs to be ironed after washing with ops ironing plate temperature of 150°C to reactivate the water repellency property



PROTECTIVE SHIELD MASK

ARTICLE	PET-A/M	PET-A/E	PET-A/H	PET-G/H
MATERIAL	100% PET	100% PET	100% PET	100% PET
THICKNESS (mm)	0,3 mm/0,5mm	0,5mm	0,5 mm	0,15-1,2mm
ROLL WIDTH (cm)	70cm/100cm	200cm/1400cm	100,4cm	250cm-1400cm
MAIN FEATURES	High-quality foil with a low haze ratio of 1-1.5%. It has all the required food approvals- can be used in contact with food. Reduced shape memory . It does not tarnish during the cleaning with alcohol-agents disinfectants and germicides.	Made of virgin material, perfectly transparent	Made of virgin material, perfectly transparent	Made of virgin material, higher formability properties, perfectly transparent

Digital Sublimation Textiles Printing Machine FEDAR mod. FD6194E



Printhead	Type	EPS3200
	Nozzle Qty	800*4lines*4pcs printheads
	Height to Platform	2-5mm
Printing Speed	Production Mode	2pass/360*1200dpi 150sqm/h
	Average Mode	3pass/360*1800dpi 110sqm/h
	High Resolution Mode	4pass/720*1200dpi 90sqm/h
Ink	Color	C M Y K
	Type	Dye Sublimation
	Supply method	Siphoning
Max Printing Width		1900mm
Printing Media		Transfer Paper
Media Transfer Method		Auto air shaft feeding and take-up system
Drying Method		External, Intelligent and air-heat Integrated drying system
Moisture Mode		Fully sealed auto moisturizing and cleaning
RIP Software		Maintop6.0, Photoprint, Onyx, Wasatch and NeoStampa and etc.
Image Format		JPG, TIF, PDF, BMP and etc.
Power	Input Voltage	210-230VAC 50/60HZ 16A
	Printing system	1500W
	Drying system	Max power 7000W

Promo Price offer

Below prices are calculated in Euro nett based on Ex work conditions (without transport, insurance, customs charges and other additional surrounding costs).


Complete machine price from – 26 000,00 Euro nett

*Special promo package include in the price of machine (free of charge) :

- 2 set of CMYK ink (in total 8 L)
- Rip software (Maintop / Photoprint / Onyx or other recommended)
- One roll of printing sublimation paper for machine test and calibration
- 2 days of Installation and training on customer side free of charge (excluding accommodation with meal and transport / flight cost – needs to be paid additionally).
- 1 year warranty

Main features

- **4*EPS3200/EPSON4720 Micropiezo Printhead**
- Printing width of EPS3200 is 1.3 inch, about 30% wider than DX5, printing speed can reach 150sqm/h with 2 pass, also with 3200 nozzles (800*4lines), it has much higher speed and resolution than Dx5
- EPS3200 printhead adopts TFP technology, with the smallest droplet 2.5PL, variable dots technology, can ensure perfect and high resolution printing performance.
- EPS3200 printhead has very good price compare to others print heads from other producer in the market , which helps client reduce cost to get more benefit!
- Open easy fill ink system, which gives the possibility to select the best possible sublimation ink type for the user suitable for the mentioned print heads in the machine.



Advanced Capping Station

- Equipped with advanced intelligent printhead cleaning and moisturizing device, it provides safe and convenient printhead cleaning and maintenance functions, which can also pump ink well and keep the ink flow fluently. Operation and maintenance is more convenient.



Intelligent Air-heat Dryer and Auto Feeding & take-up

- System Intelligent air-heat integrated dryer, two-stage heating, middle warm air and smart start-stop technology, ensure the drying performance and more energy-saving at the same time. Dual-motor drive offers strong power to handle non-stop work and high-precision media movement.



Fully automatic feeding and take-up media system, both can bear a weight of 80KG



Ink Supply System & Intelligent



Four units of 3L super large capacity ink reservoirs provide ink independently and continuously, which guarantees the long-term continuity of ink output, and keep wide format high-speed printing wonderfully.